HESSARGHATTA WATER SUPPLY DIVISION.

ADVERTISEMENT.

The 19th September 1894.

Tenders are hereby invited for construction of two head sluices at Hessarghatta Tank in connection with Hessarghatta Water Supply Project.

2. The plans, estimates, and specifications may be seen at the Executive Engineer's office between the hours of 11 A. M. and 4 P. M. daily.

3. Printed forms of tender will be supplied on application, free of cost, by the Executive Engineer. These forms should be filled in, signed by the contractor and forwarded in sealed covers to the Executive Engineer by the end of September 1894.

4. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

5. No tenders will be received unless accompanied by a deposit of Rs. 100 as earnest money.

6. Within eight days of the acceptance of the tender, the contractor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be taken to meet any loss that may be sustained by Government.

7. The name of the contractor whose tender has been accepted will be posted on the notice board in the Executive Engineer's office in due course. No enquiries respecting the acceptance or rejection of a tender will receive any reply whatever.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned to applicants in due course.

9. Work to be completed by end of December 1894.

Tenders for construction of two head sluices at Hessarghatta tank in connection with Hessarghatta Water Supply Project.

Items of Work.	Per.	Rate.	Quantity.	Cost.
Earthwork excavation	C. Yd.		512	
Concrete in surki	C. Ft.		5,090	
Burnt stone in surki mortar (foundation)	Do		3,082	
Cut-stone ditto ditto	Do		892	
Stone in surki mortar (superstructure)	Do		9,298	
Pointing with chunam	Sqr.		34·80	
Dressed quoins	S. Ft.		1,666	
Plastering with surki	Sqr.		30·60	
Burnt stone slabs, dressed (6″)	S. Ft.		1,446	
Rough stone work	C. Yd.		150	
Shutter and gear, &c., complete	No.		6	
Burnt stone slabs, dressed (3″)	S. Ft.		560	
Archwork of shaped brick in surki mortar, first class, including centering	C. Ft.		3,124	
Teak wood beams bolted down to face wall to carry screw gearing	Do		20	
Cut-stone caps to pedestals and cut-water	Each.		12	

R. T. SCALDWELL,
Executive Engineer.

TUMKUR DISTRICT.

NOTICE.

The 18th September 1894.

The depositors of the Mysore Government Savings Bank, Tumkur District, are hereby requested to send their Pass Books to the Tumkur District Treasury, for annual adjustment of interest for the year 1893-94.

B. J. KUMARASWAMI NAIK, *Treasury Officer.*

	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.
Barom. red. to 32°F	26·877	26·884	26·786	26·902	26·903	26·779	26·896	26·892	26·775	26·864	26·884	26·776	26·857	26·858	26·773	26·898	26·890	26·789	26·924	26·924	26·787
Thermometers in shade																					
Dry Bulb	68·7	74·4	79·5	68·0	73·0	78·4	70·1	74·9	79·5	71·0	75·4	?	72·9	79·5	78·5	71·5	76·2	81·3	68·5	73·4	78·7
Do Max.	80·2	...	80·5	80·4	...	80·0	79·9	...	82·4	82·4	...	?	?	...	85·4	85·4	...	84·8	84·8	...	82·8
Do Min.	66·8	...	66·8	64·8	...	64·8	66·3	...	66·3	64·3	...	?	66·5	...	66·5	66·5	...	66·5	66·8	...	66·8
Wet Bulb	67·5	69·8	72·0	66·8	69·6	72·1	67·5	69·6	71·6	67·2	69·1	?	68·3	71·8	73·1	68·2	70·9	72·1	65·6	68·1	69·3
Do Min.	65·9	...	65·9	63·6	...	63·6	65·2	...	65·2	63·2	...	?	64·9	...	63·9	64·8	...	64·5	64·4	...	64·4
Wind Vely. in miles for previous 24 hours	200	196	204	204	202	196	172	169	165	156	157	146	144	148	161	165	166	183	217	220	227
Direction of Wind	W S W	W	S W	W S W	W S W	W S W	W N W	W	W N W	W	W N W	W N W	W	W N W	N N W	W	W	N W	W	W	W
Rain in inches and cents ...	0·21	...	0·04	0·01	...	...	...	...	...	...	...	...	...	...	...	0·34	...	...	...	...	...
Percent of Cloudy Sky ...	100	90	40	100	100	70	90	90	30	Traces.	Traces.	30	80	40	40	40	90	70	100	90	30
General character of Weather ...	Dark gloomy.	Fine.	Fine.	Overcast.	Overcast.	Fine.	Fine.	Fine.	Fine.	Fine clear.	Fine.	Fine.	Fine.	Fine.	Fine.	Fine.	Fine.	Fine.	Overcast.	Strong wind.	Fine.

24th September 1894.

?No observations, owing to change of Thermometer shed to observatory compound.

J. COOK,
Director of Meteorology in Mysore.

Corrected Meteorological Observations, Mysore, for the week 16th to 22nd September 1894.

	Sunday 16.			Monday 17.			Tuesday 18.			Wednesday 19.			Thursday 20.			Friday 21.			Saturday 22.		
	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.
Barom. red. to 32°F	27·372	27·393	27·282	27·404	27·401	27·281	27·384	27·389	27·240	27·382	27·396	27·260	27·378	27·373	27·243	27·418	27·408	27·301	27·434	27·429	27·298
Thermometers in shade.																					
Dry Bulb	69·6	74·3	78·0	69·8	76·1	78·3	70·3	78·1	83·5	70·8	75·0	85·7	72·1	79·1	84·0	72·8	80·3	85·7	72·9	79·0	82·0
Do Max.	83·9	...	83·1	83·1	...	83·6	83·6	...	84·9	84·9	...	86·9	86·9	...	89·9	89·9	...	87·1	87·1	...	85·9
Do Min.	67·2	...	67·2	67·0	...	67·0	67·0	...	67·0	66·0	...	66·0	65·2	...	65·2	68·0	...	68·0	66·2	...	66·2
Wet Bulb	67·4	69·2	70·1	67·8	69·1	71·4	67·9	70·1	72·8	66·7	68·0	67·4	68·4	69·9	71·4	69·1	71·6	68·8	67·9	68·7	71·1
Do Min.	66·2	...	66·2	65·2	...	65·2	66·0	...	66·0	65·0	...	65·0	65·0	...	65·0	66·5	...	66·5	65·0	...	65·0
Wind Vely. in miles for previous 24 hours	297	293	305	318	317	301	258	242	189	176	176	173	188	187	203	240	249	325	399	415	408
Direction of Wind	W S W	W S W	W	W S W	W S W	W	W S W	W	W S W	W N W	W	W N W	S W	N N W	S W	S W	W	W	W S W	W	W
Rain in inches and cents... ...	...	...	...	...	...	...	...	...	...	0·17	...	...	...	...	...	...	...	...	...	...	...
Per cent of Cloudy Sky... ...	100	100	90	100	100	100	100	90	80	10	0	0	10	30	80	70	60	40	10	20	90
General character of Weather ...	Overcast.	Overcast.	Clouds low.	Overcast.	Overcast.	Clouds low.	Overcast.	Fine.	Clouds low.	Fine.	Fine clear.	Fine clear.	Clouds low.	Fine.	Clouds low.	Fine.	Clouds low.	Fine.	Fine.	Fine.	Clouds low.

Corrected Meteorological Observations, Hassan, for the week 16th to 22nd September 1894.

	Sunday 16.			Monday 17.			Tuesday 18.			Wednesday 19.			Thursday 20.			Friday 21.			Saturday 22.		
	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.
Barom. red. to 32°F	26·818	26·839	26·754	26·850	26·847	26·742	26·826	26·830	26·719	26·830	26·835	26·728	26·819	26·820	26·724	26·859	26·860	26·684	26·867	26·870	26·778
Thermometers in shade.																					
Dry Bulb	70·5	73·8	72·2	71·9	75·2	74·3	72·0	76·6	79·0	69·2	77·2	80·7	72·7	78·0	78·4	72·9	76·1	74·0	71·2	74·0	73·3
Do Max.	79·0	...	78·1	78·1	...	78·4	78·4	...	82·9	82·9	...	85·2	85·2	...	84·2	84·2	...	81·0	81·0	...	79·8
Do Min.	64·2	...	64·2	64·3	...	64·5	64·1	...	64·1	58·7	...	58·7	63·2	...	63·2	63·4	...	63·4	63·0	..	63·0
Wet Bulb	67·4	68·2	66·4	68·0	68·1	68·9	66·2	68·8	70·0	63·8	66·0	69·2	64·9	67·0	71·0	66·8	67·5	67·6	65·8	65·3	67·2
Do Min.	62·0	...	62·0	61·8	...	61·8	61·4	...	61·4	55·8	...	55·8	60·1	...	60·1	60·2	...	60·2	60·0	...	60·0
Wind Vely. in miles for previous 24 hours	75	78	92	75	72	70	60	55	42	53	54	48	58	56	66	66	73	85	78	82	88
Direction of Wind	W	W	W	W N W	W N W	W N W	W N W	Calm.	W N W	W N W	Calm.	W S W	Calm.	W N W	W	W N W	W N W	W	W	W N W	W N W
Rain in inches and cents ...	0·22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
Per cent of Cloudy Sky	100	100	80	90	90	100	60	70	40	40	20	40	50	20	80	60	80	80	70	50	90
General character of Weather ...	Dark gloomy.	Dark gloomy.	Fine.	Clouds low.	Dark gloomy.	Dark gloomy.	Fine.	Fine.	Fine.	Fine.	Fine.	Sultry.	Fine.	Sultry.	Fine.	Fine.	Fine.	Fine.	Clouds low.	Fine.	Dark gloomy.

24th September 1894.

J. COOK,
Director of Meteorology in Mysore.

Corrected Meteorological Observations, Chitaldroog, for the week 16th to 22nd September 1894.

	Sunday 16.			Monday 17.			Tuesday 18.			Wednesday 19.			Thursday 20.			Friday 21.			Saturday 22.		
	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.	8 h.	10 h.	16 h.
Barom. red. to 32°F	27·445	27·460	27·354	27·475	27·473	27·347	27·470	27·473	27·334	27·466	27·469	27·337	27·442	27·455	27·344	27·491	27·489	27·373	27·494	27·502	27·384
Thermometers in shade.																					
Dry Bulb	71·0	76·4	75·5	72·0	78·0	79·4	71·9	75·9	86·0	72·6	78·4	85·5	73·0	78·2	83·0	73·3	76·9	83·8	73·0	77·3	78·6
Do Max.	84·0	...	81·6	81·6	...	83·1	83·1	...	86·4	86·3	...	88·2	88·2	...	83·2	83·4	...	84·9	84·8	...	83·1
Do Min.	68·4	...	68·4	67·7	...	67·7	67·9	...	67·9	66·8	...	66·8	68·2	...	68·2	67·9	...	67·9	68·1	...	68·1
Wet Bulb	68·6	69·9	70·2	68·2	71·6	71·3	67·4	68·0	65·4	67·3	70·0	69·5	67·8	70·8	70·2	67·9	68·9	68·3	68·0	69·4	69·5
Do Min.	65·2	...	65·2	65·0	...	65·0	64·0	...	63 2	63·1	...	63·1	64·1	...	64·1	64·3	...	64·3	64·2	...	64·2
Wind Vely. in miles for previous 24 hours	236	242	262	234	232	224	236	232	231	225	230	219	221	221	227	217	222	241	276	275	275
Direction of Wind	W S W	W S W	W N W	S W	W S W	W	W	W N W	W	W S W	W N W	W	W	W N W	W N W	W S W	W N W	W N W	W	W N W	S W
Rain in inches and cents... ...	0·19	...	..	0·17	...	...	...	...	...	...	...	...	0·01	...	...	...	...	...	...	...	...
Per cent of Cloudy Sky ...	100	100	90	100	90	70	100	50	70	20	30	90	100	90	40	90	70	70	90	90	90
General character of Weather ...	Dark gloomy.	Fine.	Threatening distant rain.	Fine.	Fine.	Fine.	Fine.	Fine.	Fine clear.	Fine clear.	Fine.	Saltry.	Fine.	Fine.	Fine.	Windy.	Fine.	Saltry.	Windy.	Cloudy.	Windy.

24th September 1894.

J. COOK,
Director of Meteorology in Mysore.

256